


# PLATA LED PANEL



The Plata is our new efficient backlit LED panel with a UGR of less than <math>\lt;18</math>. The Plata uses the innovative Dipswitch technology, which allows you to effortlessly adjust the light intensity and color temperature. This means you can easily meet the latest energy efficiency standards without the need for extensive renovations.

By setting the light colors to 3000K, 3500K or 4000K, you can tailor the office lighting to the specific preferences. With a remarkable luminance efficiency of up to 131 lm/watt, Plata not only provides brilliant lighting, but also does so with a minimal environmental footprint.


Find out more!

# PLATA


The Plata is our new Inlay panel for office and public. Plata utilizes the innovative Dipswitch technology, allowing you to effortlessly adjust the light intensity and color temperature. This means you can easily meet the latest energy efficiency standards without the need for extensive renovations.

By setting the light colors to 3000K, 3500K, or 4000K, you can tailor the office lighting to the specific preferences of your clients during the project and modify it later if needed.

With a special remarkable luminous efficacy of up to 131 lm/watt, Plata not only provides brilliant lighting but does so with a minimal ecological footprint. This efficiency translates into significant energy savings, making Plata not only shine with bright light but also contribute to a more sustainable and environmentally friendly lighting option.



# DELIGHTING SPECS OF THE PLATA



## MICROPRISMATIC DIFFUSER


With a UGR value of less than <math><18</math>, this backlit panel is a true addition to office and Energy Label-C projects. The Plata offers much better light distribution and comfort through its shielding compared to other comparable led panels.

## ENERGY EFFICIENT UP TO 131 LM/W




## DIPSWITCH

A special Dip switch for 3 different light colors including 3000K, 3500K and 4000K. The power can be controlled on the driver and can be set to different wattages ranging from 22W (2705lm) up to 38W (4566lm) at 3500K.





## COLOURS



## FREEDOM IN MOUNTING

With the option to use the Plata as a pendant, inlay or surface-mounted fixture using the surface-mounted frame, this fixture is even suitable for concrete ceilings.

- ✓ The Plata is dimmable on/off as standard
- ✓ Optionally available DALI 2 (better compatible, more addresses, backwards compatible with DALI)
- ✓ Easily add to Casambi networks via broadcasting



## Accessories

The Plata in combination with the construction frame makes it possible to facilitate renovation projects smooth and quickly. This solution is also ideal for use with concrete ceilings, allowing you to easily provide quality lighting.




Suspension set for Plata


Construction frame for Plata



**EFFICIENT, WITH A SYSTEM  
EFFICIENCY UP TO 131LM/W.**

**TO SAVE ON ENERGY AND COSTS.**





# INTELLIGENT LIGHTING.

Enhance your design to enable remote lighting control.

- ✓ The Plata features standard dimmable on/off functionality.
- ✓ Optionally available DALI 2 (enhanced compatibility, increased addresses, backward compatibility with DALI).
- ✓ Effortlessly integrate into Casambi networks through broadcasting.


Further information on dimming.

## RELATED ARTICLES WITH DIPSWITCH

**LUCIO**



**OZOLA**



**ARDEA**



**CECID**

