



nuudo.

Decorative
Spotlights

Create emotions with lighting

nuudo.

nuudo. een merk dat ontstaan is uit passie voor hoogwaardig afgewerkte producten in combinatie met comfort en oplossingen om een perfect lichtbeeld te creëren.

Met het oog van een vakman en het hart van een vormgever worden de armaturen van nuudo. ontworpen door ons internationale designteam.

Onze series zijn ontworpen met oog voor detail en uitgerust met een hoge CRI om het meest optimale lichtbeeld te bereiken en een unieke verlichtingservaring te creëren. We weten dat comfort direct van invloed is op ons gevoel van ontspanning en ons vermogen om te communiceren en te interacteren met anderen.

Met een lage verblinding, warme lichtkleuren en hoge kleurgetrouwheid creëer je gemakkelijk de juiste sfeer om gevoelens op te wekken en een onvergetelijke indruk achter te laten.

Design, engineering en eindproductie vindt plaats in onze eigen atelier in Nederland, waardoor wij de hoogste kwaliteit kunnen waarborgen.

Unieke details, veelzijdigheid in samenstellingen en trends in vormgeving maken nuudo. de perfecte partner voor een ieder die deze passie deelt.

Alleen samen kunnen we emotie met licht creëren.

nuudo.

nuudo. a brand created out of passion for high-quality finished products with innovative solutions to create a perfect light image.

Our series are designed with an eye for detail and equipped with a high CRI to achieve the most optimal light image and create a unique lighting experience. We know that comfort directly affects our sense of relaxation and our ability to communicate and interact with others.

With low glare, warm light colours and high colour fidelity, you easily create the right ambience to arouse feelings and leave an unforgettable impression.

Design, engineering and final production takes place in our own workshop in the Netherlands, so that we can guarantee the highest quality.

Unique details, versatility in compositions and trends in design make nuudo. the perfect partner for everyone who shares this passion.

Only together can we create emotion with light.

nuudo.

Decorative spotlights

Comfort & Relaxation

Creëer emoties met de spotseries van nuudo. Speciaal ontworpen voor ruimtes waar een gastvrij gevoel en een warm lichtbeeld gewenst zijn. Met haar modulaire ontwerp en hoogwaardige lichtbeeld speelt deze serie in op ontspanning en comfort. Het resultaat is een oase van rust bij binnenkomst. Deze serie draagt graag bij aan speciale gelegenheden door deze te accentueren en tegelijk onvergetelijk te maken. De combinatie van dit alles zorgt voor tevredenheid en aandacht op plaatsen waar ontspanning en comfort centraal staan, zoals hotels, restaurants en residentiele projecten.

Create emotions with the decorative spotlight series from nuudo. Specially designed for spaces where a welcoming feeling and a warm light image are desired. With its modular design and high-quality light image, this series responds to relaxation and comfort. The result is an oasis of calm upon entrance. These series like to contribute to special occasions by accentuating them, making them unforgettable. The combination of all this ensures satisfaction and note in places where relaxation and comfort are key, such as hotels, restaurants and residential projects.





Fondo


ROUND FIXED & TILTABLE



Product information

System Power	12w
CRI	>90Ra
CCT	2700K 3000K 4000K
System Lumen	688lm 749lm 865lm
System Efficacy	56lm/W 61lm/W 70lm/W
LOR	Up to 81%
Driver	500mA Non-Dimmable or Dimmable Driver (included)
IP	44

Dimensions



Fondo Fixed

Article No.	Product Name	Color	CCT	CRI	System Lumen	System Power	Reflector	Cutout size
2.11.1849 / 2.11.1850*	Fondo Fixed	Grey	2700K	>90Ra	688lm	12W	38°	Ø 70mm
2.11.1855 / 2.11.1856*	Fondo Fixed	White	2700K	>90Ra	688lm	12W	38°	Ø 70mm
2.11.1861 / 2.11.1862*	Fondo Fixed	Black	2700K	>90Ra	688lm	12W	38°	Ø 70mm
2.11.1851 / 2.11.1852*	Fondo Fixed	Grey	3000K	>90Ra	749lm	12W	38°	Ø 70mm
2.11.1857 / 2.11.1858*	Fondo Fixed	White	3000K	>90Ra	749lm	12W	38°	Ø 70mm
2.11.1863 / 2.11.1864*	Fondo Fixed	Black	3000K	>90Ra	749lm	12W	38°	Ø 70mm
2.11.1853 / 2.11.1854*	Fondo Fixed	Grey	4000K	>90Ra	865lm	12W	38°	Ø 70mm
2.11.1859 / 2.11.1860*	Fondo Fixed	White	4000K	>90Ra	865lm	12W	38°	Ø 70mm
2.11.1865 / 2.11.1866*	Fondo Fixed	Black	4000K	>90Ra	865lm	12W	38°	Ø 70mm

Article No. with * indicates that the luminaire is DALI Dimmable.

Fondo Adjustable

Article No.	Product Name	Color	CCT	CRI	System Lumen	System	Reflector	Cutout size
2.11.1831 / 2.11.1832*	Fondo Adjustable	Grey	2700K	>90Ra	650lm	12W	24°	Ø 70mm
2.11.1837 / 2.11.1838*	Fondo Adjustable	White	2700K	>90Ra	650lm	12W	24°	Ø 70mm
2.11.1843 / 2.11.1844*	Fondo Adjustable	Black	2700K	>90Ra	650lm	12W	24°	Ø 70mm
2.11.1833 / 2.11.1834*	Fondo Adjustable	Grey	3000K	>90Ra	753lm	12W	24°	Ø 70mm
2.11.1839 / 2.11.1840*	Fondo Adjustable	White	3000K	>90Ra	753lm	12W	24°	Ø 70mm
2.11.1845 / 2.11.1846*	Fondo Adjustable	Black	3000K	>90Ra	753lm	12W	24°	Ø 70mm
2.11.1835 / 2.11.1836*	Fondo Adjustable	Grey	4000K	>90Ra	890lm	12W	24°	Ø 70mm
2.11.1841 / 2.11.1842*	Fondo Adjustable	White	4000K	>90Ra	890lm	12W	24°	Ø 70mm
2.11.1847 / 2.11.1848*	Fondo Adjustable	Black	4000K	>90Ra	890lm	12W	24°	Ø 70mm

Article No. with * indicates that the luminaire is DALI Dimmable.



Vela

ROUND FIXED



Vela Round Fixed


Article No.	Product Name	Color	CCT	CRI	System Lumen	System Power	Reflector	Cutout size
2.11.1957 / 2.11.1958*	Vela	Grey	2700K	>90Ra	688lm	12W	38°	Ø 75mm
2.11.1963 / 2.11.1964*	Vela	White	2700K	>90Ra	688lm	12W	38°	Ø 75mm
2.11.1969 / 2.11.1970*	Vela	Black	2700K	>90Ra	688lm	12W	38°	Ø 75mm
2.11.1959 / 2.11.1960*	Vela	Grey	3000K	>90Ra	749lm	12W	38°	Ø 75mm
2.11.1965 / 2.11.1966*	Vela	White	3000K	>90Ra	749lm	12W	38°	Ø 75mm
2.11.1971 / 2.11.1972*	Vela	Black	3000K	>90Ra	749lm	12W	38°	Ø 75mm
2.11.1961 / 2.11.1962*	Vela	Grey	4000K	>90Ra	865lm	12W	38°	Ø 75mm
2.11.1967 / 2.11.1968*	Vela	White	4000K	>90Ra	865lm	12W	38°	Ø 75mm
2.11.1973 / 2.11.1974*	Vela	Black	4000K	>90Ra	865lm	12W	38°	Ø 75mm

Article No. with * indicates that the luminaire is DALI Dimmable.

Product information

System Power	12w
CRI	>90Ra
CCT	2700K 3000K 4000K
System Lumen	688lm 749lm 865lm
System Efficacy	56lm/W 61lm/W 70lm/W
LOR	Up to 81%
Driver	500mA Non-Dimmable or Dimmable Driver (included)
IP	IP44

Dimensions





Etage


SQUARE AND ROUND



Product information

System Power	12.3W
CRI	>90Ra
CCT	2700K 3000K 4000K
System Lumen	700lm 740lm 790lm
System Efficacy	58lm/W 63lm/W 74lm/W
LOR	Up to 81%
Driver	500mA Non-Dimmable or Dimmable Driver (included)
IP	20

Dimensions



Etage Round

Article No.	Product Name	Color	CCT	CRI	System Lumen	SystemPower	Reflector	Cutout size
2.11.2011 / 2.11.2012*	Etage Round	Grey	2700K	>90Ra	700lm	12.3W	38°	Ø 83mm
2.11.2017 / 2.11.2018*	Etage Round	White	2700K	>90Ra	700lm	12.3W	38°	Ø 83mm
2.11.2023 / 2.11.2024*	Etage Round	Black	2700K	>90Ra	700lm	12.3W	38°	Ø 83mm
2.11.2013 / 2.11.2014*	Etage Round	Grey	3000K	>90Ra	740lm	12.3W	38°	Ø 83mm
2.11.2019 / 2.11.2020*	Etage Round	White	3000K	>90Ra	740lm	12.3W	38°	Ø 83mm
2.11.2025 / 2.11.2026*	Etage Round	Black	3000K	>90Ra	740lm	12.3W	38°	Ø 83mm
2.11.2015 / 2.11.2016*	Etage Round	Grey	4000K	>90Ra	790lm	12.3W	38°	Ø 83mm
2.11.2021 / 2.11.2022*	Etage Round	White	4000K	>90Ra	790lm	12.3W	38°	Ø 83mm
2.11.2027 / 2.11.2028*	Etage Round	Black	4000K	>90Ra	790lm	12.3W	38°	Ø 83mm

Article No. with * indicates that the luminaire is DALI Dimmable.


Etage Square

Article No.	Product Name	Color	CCT	CRI	System Lumen	SystemPower	Reflector	Cutout size
2.11.2029 / 2.11.2030*	Etage Square	Grey	2700K	>90Ra	700lm	12.3W	38°	Ø 83mm
2.11.2035 / 2.11.2036*	Etage Square	White	2700K	>90Ra	700lm	12.3W	38°	Ø 83mm
2.11.2041 / 2.11.2042*	Etage Square	Black	2700K	>90Ra	700lm	12.3W	38°	Ø 83mm
2.11.2031 / 2.11.2032*	Etage Square	Grey	3000K	>90Ra	740lm	12.3W	38°	Ø 83mm
2.11.2037 / 2.11.2038*	Etage Square	White	3000K	>90Ra	740lm	12.3W	38°	Ø 83mm
2.11.2043 / 2.11.2044*	Etage Square	Black	3000K	>90Ra	740lm	12.3W	38°	Ø 83mm
2.11.2033 / 2.11.2034*	Etage Square	Grey	4000K	>90Ra	790lm	12.3W	38°	Ø 83mm
2.11.2039 / 2.11.2040*	Etage Square	White	4000K	>90Ra	790lm	12.3W	38°	Ø 83mm
2.11.2045 / 2.11.2046*	Etage Square	Black	4000K	>90Ra	790lm	12.3W	38°	Ø 83mm

Article No. with * indicates that the luminaire is DALI Dimmable.





Dark TILTABLE



Product information

System Power	9W
CRI	>90Ra
CCT	2700K 3000K 4000K
System Lumen	72lm 80lm 88lm
System Efficacy	8lm/W 9lm/W 10lm/W
LOR	Up to 40%
Driver	500mA Non-Dimmable or Dimmable Driver (included)
IP	20

Dimensions



Neo Ball

Article No.	Product Name	Color	CCT	CRI	System Lumen	System Power	Cutout size
2.11.1795 / 2.11.1796*	Dark Round	Grey	2700K	>90Ra	72lm	9W	Ø75mm
2.11.1801 / 2.11.1802*	Dark Round	Wit	2700K	>90Ra	72lm	9W	Ø75mm
2.11.1807 / 2.11.1808*	Dark Round	Black	2700K	>90Ra	72lm	9W	Ø75mm
2.11.1797 / 2.11.1798*	Dark Round	Grey	3000K	>90Ra	80lm	9W	Ø75mm
2.11.1803 / 2.11.1804*	Dark Round	Wit	3000K	>90Ra	80lm	9W	Ø75mm
2.11.1809 / 2.11.1810*	Dark Round	Black	3000K	>90Ra	80lm	9W	Ø75mm
2.11.1799 / 2.11.1800*	Dark Round	Grey	4000K	>90Ra	88lm	9W	Ø75mm
2.11.1805 / 2.11.1806*	Dark Round	Wit	4000K	>90Ra	88lm	9W	Ø75mm
2.11.1811 / 2.11.1812*	Dark Round	Black	4000K	>90Ra	88lm	9W	Ø75mm
2.11.1813 / 2.11.1814*	Dark Oval	Grey	2700K	>90Ra	100lm	9W	Ø75mm
2.11.1819 / 2.11.1820*	Dark Oval	Wit	2700K	>90Ra	100lm	9W	Ø75mm
2.11.1825 / 2.11.1826*	Dark Oval	Black	2700K	>90Ra	100lm	9W	Ø75mm
2.11.1815 / 2.11.1816*	Dark Oval	Grey	3000K	>90Ra	112lm	9W	Ø75mm
2.11.1821 / 2.11.1822*	Dark Oval	Wit	3000K	>90Ra	112lm	9W	Ø75mm
2.11.1827 / 2.11.1828*	Dark Oval	Black	3000K	>90Ra	112lm	9W	Ø75mm
2.11.1817 / 2.11.1818*	Dark Oval	Grey	4000K	>90Ra	120lm	9W	Ø75mm
2.11.1823 / 2.11.1824*	Dark Oval	Wit	4000K	>90Ra	120lm	9W	Ø75mm
2.11.1829 / 2.11.1830*	Dark Oval	Black	4000K	>90Ra	120lm	9W	Ø75mm

Article No. with * indicates that the luminaire is DALI Dimmable.



Create emotions
with lighting

Credits
VISUALS imore.
GRAPHIC DESIGN Studio Anouk Stoffels

Nijverheidsweg 2
2421LR Nieuwkoop
+31 (0)172 574500
info@nuudo.com
www.nuudo.com

nuudo. is part of the Lumiparts Group