

LINEAR



Lumiparts



Lumiparts

Linear LED range Datasheets

Welcome to Lumiparts Linear LED datasheet catalogue!

We trade our reliable product range with passion, craftsmanship, and flexibility.

This catalogue shows all the data of our Linear LED range and combines this with our LED profiles and drivers. Would you like to see more of our Linear LED assortment? Scan or click the QR-code below and see our impressional Linear LED magazine.



Happy lighting!

Team Lumiparts



Rubec

LED strip Neon

Product information		Photometrics			
Input voltage	24V	CCT	2700K	3000K	4000K
Real length	role 10m	Lumen/m	453lm/m - 840lm/m		
Width	12,5mm - 16mm	CRI	CRI>90		
Max. connection length	10m	Beam angle	112 °		
LED/m	112LED's/m				
Power/m	7,68W/m			15W/m	

Rubec - LED strip Neon					
Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1605	Rubec - LED strip Neon	2700K	7,68W/m	453lm/m	112LED's/m
2.21.1608	Rubec - LED strip Neon	2700K	15W/m	780lm/m	112LED's/m

Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1606	Rubec - LED strip Neon	3000K	7,68W/m	455lm/m	112LED's/m
2.21.1609	Rubec - LED strip Neon	3000K	15W/m	810lm/m	112LED's/m

Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1607	Rubec - LED strip Neon	4000K	7,68W/m	476lm/m	112LED's/m
2.21.1610	Rubec - LED strip Neon	4000K	15W/m	840lm/m	112LED's/m







Micus

LED strip COB

Product information		Photometrics			
Input voltage	24V	CCT	2700K	3000K	4000K
Real length	role 5m	Lumen/m	948lm/m	974lm/m	1046lm/m
Width	8mm	CRI	CRI>90		
Max. connection length	5m	Beam angle	120 °		
LED/m	544LED's/m				
Power/m	10W/m				

Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1612	Micus - LED strip COB	2700K	10W/m	948lm/m	544LED's/m

Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1613	Micus - LED strip COB	3000K	10W/m	974lm/m	544LED's/m

Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1614	Micus - LED strip COB	4000K	10W/m	1046lm/m	544LED's/m





Larid

LED strip Tunable white

Product information		Photometrics	
Input voltage	24V	CCT	2700K-5000K
Real length	role 4m	Lumen/m	635-1338lm/m
Width	10mm	CRI	CRI>90
Max. connection length	4m	Beam angle	120 °
LED/m	240LED's/m		
Power/m	17,28W/m		

Rubec - LED strip Neon					
Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1611	Larid - LED strip Tunable white	2700K-5000K	17,28W/m	635-1338lm/m	240LED's/m





















Pluviam

LED strip IP67

Product information		Photometrics	
Input voltage	24V	CCT	2700K/3000K/4000K
Real length	5m	Lumen/m	595lm/m - 670lm/m 1461lm/m - 1746lm/m
Width	12mm	CRI	CRI>90
Max. connection length	5m	Beam angle	110 °
LED/m	112LED's/m		176LED's/m
Power/m	4,8W/m		14,4W/m

Pluviam - LED strip IP67					
Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1668	LED strip Pluviam IP67	2700K	4,8W/m	595lm/m	112LED's/m
2.21.1671	LED strip Pluviam IP67	2700K	14,4W/m	1554lm/m	176LED's/m

Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1669	LED strip Pluviam IP67	3000K	4,8W/m	622lm/m	112LED's/m
2.21.1672	LED strip Pluviam IP67	3000K	14,4W/m	1461lm/m	176LED's/m

Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1670	LED strip Pluviam IP67	4000K	4,8W/m	670lm/m	112LED's/m
2.21.1673	LED strip Pluviam IP67	4000K	14,4W/m	1746lm/m	176LED's/m

Accessories On Request	
Article No.	Description
2.01.1430	Endcap with cable 30cm for LED strip Pluviam IP67 24V
2.01.1431	Endcap closed for LED strip series Pluviam IP67 24V
5.03.0553	Connection cable 50cm grey for Pluviam











Extro

LED strip

Product information				Photometrics			
Input voltage		24V		CCT	2700K	3000K	4000K
Real length		role 5m		Lumen/m		312 up to 2450 lm/m	
Width		8mm		CRI		CRI>80 en CRI>90	
Max. connection length		5m		Beam angle		120°	
LED/m	60 LED's/m	120 LED's/m	168 LED's/m				
Power/m	7,2W/m	14,4W/m	20,2W/m				

Extro - LED strip					
Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1152	Extro - LED strip - CRI>80	2700K	7,2W/m	630 Lm/m	60 LED's/m
2.21.1156	Extro - LED strip - CRI>80	2700K	14,4W/m	1120 Lm/m	60 LED's/m
2.21.1160	Extro - LED strip - CRI>80	2700K	14,4W/m	1260 Lm/m	120 LED's/m
2.21.1168	Extro - LED strip - CRI>80	2700K	20,2W/m	1720 Lm/m	168 LED's/m
2.21.1199	Extro - LED strip - CRI>90	2700K	14,4W/m	1212 Lm/m	120 LED's/m

Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1153	Extro - LED strip - CRI>80	3000K	7,2W/m	645 Lm/m	60 LED's/m
2.21.1157	Extro - LED strip - CRI>80	3000K	14,4W/m	1135 Lm/m	60 LED's/m
2.21.1161	Extro - LED strip - CRI>80	3000K	14,4W/m	1357 Lm/m	120 LED's/m
2.21.1169	Extro - LED strip - CRI>80	3000K	20,2W/m	1743 Lm/m	168 LED's/m
2.21.1200	Extro - LED strip - CRI>90	3000K	14,4W/m	1265 Lm/m	120 LED's/m

Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1154	Extro - LED strip - CRI>80	4000K	7,2W/m	655 Lm/m	60 LED's/m
2.21.1158	Extro - LED strip - CRI>80	4000K	14,4W/m	1140 Lm/m	60 LED's/m
2.21.1162	Extro - LED strip - CRI>80	4000K	14,4W/m	1421 Lm/m	120 LED's/m
2.21.1170	Extro - LED strip - CRI>80	4000K	20,2W/m	1797 Lm/m	168 LED's/m



Aves

LED strip Dim to warm

Product information		Photometrics	
Input voltage		24V	
Real length		4m	
Width		12mm	
Max. connection length		4 meters single ended	
LED/m		224LED's/m	
Power/m		11,52W/m	
Cuttable length		Cuttable every 14 LEDs	
CCT		1800-2700K	2200-3000K
Lumen/meter		To be confirmed	
CRI		CRI>90	
Beam angle		120°	

Aves - LED strip Dim to warm CRI>90				
Article No.	Product name	CCT	W/m	Lm/m LED's/m
2.21.1554	Aves - LED strip Dim to warm	1800-2700K	11,52W/m	To be confirmed 224LED's/m

Article No.	Product name	CCT	W/m	Lm/m LED's/m
2.21.1555	Aves - LED strip Dim to warm	2200-3000K	11,52W/m	To be confirmed 224LED's/m





Elus

LED strip Performer series

Product information		Photometrics				
Input voltage	24V	CCT	2700K	3000K	3500K	4000K
Real length	5m	Lumen/m	551lm/m - 2764lm/m			
Width	10mm	CRI	CRI>80 and CRI>90			
Max. connection length	5m	Beam angle	120°			
LED/m	80 LED's/m		160LED's/m			
Power/m	4,8W/m	7,2W/m	9,6W/m	11,52W/m	14,4W/m	19,2W/m

Elus - LED strip Performer series CRI>80					
Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1556	Elus - LED strip Performer series	2700K	4,8W/m	551lm/m	80 LED's/m
2.21.1563	Elus - LED strip Performer series	2700K	7,2W/m	876lm/m	80 LED's/m
2.21.1570	Elus - LED strip Performer series	2700K	9,6W/m	1099lm/m	160LED's/m
2.21.1577	Elus - LED strip Performer series	2700K	11,52W/m	1279lm/m	160LED's/m
2.21.1584	Elus - LED strip Performer series	2700K	14,4W/m	1576lm/m	160LED's/m
2.21.1591	Elus - LED strip Performer series	2700K	19,2W/m	2570lm/m	160LED's/m

Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1557	Elus - LED strip Performer series	3000K	4,8W/m	591lm/m	80 LED's/m
2.21.1564	Elus - LED strip Performer series	3000K	7,2W/m	828lm/m	80 LED's/m
2.21.1571	Elus - LED strip Performer series	3000K	9,6W/m	1122lm/m	160LED's/m
2.21.1578	Elus - LED strip Performer series	3000K	11,52W/m	1289lm/m	160LED's/m
2.21.1585	Elus - LED strip Performer series	3000K	14,4W/m	1629lm/m	160LED's/m
2.21.1592	Elus - LED strip Performer series	3000K	19,2W/m	2750lm/m	160LED's/m

Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1558	Elus - LED strip Performer series	4000K	4,8W/m	600lm/m	80 LED's/m
2.21.1565	Elus - LED strip Performer series	4000K	7,2W/m	874lm/m	80 LED's/m
2.21.1572	Elus - LED strip Performer series	4000K	9,6W/m	1166lm/m	160LED's/m
2.21.1579	Elus - LED strip Performer series	4000K	11,52W/m	1401lm/m	160LED's/m
2.21.1586	Elus - LED strip Performer series	4000K	14,4W/m	1770lm/m	160LED's/m
2.21.1593	Elus - LED strip Performer series	4000K	19,2W/m	2850lm/m	160LED's/m

Elus - LED strip Performer series CRI>90					
Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1559	Elus - LED strip Performer series	2700K	4,8W/m	539lm/m	80 LED's/m
2.21.1566	Elus - LED strip Performer series	2700K	7,2W/m	709lm/m	80 LED's/m
2.21.1573	Elus - LED strip Performer series	2700K	9,6W/m	1082lm/m	160LED's/m
2.21.1580	Elus - LED strip Performer series	2700K	11,52W/m	1238lm/m	160LED's/m
2.21.1587	Elus - LED strip Performer series	2700K	14,4W/m	1508lm/m	160LED's/m
2.21.1594	Elus - LED strip Performer series	2700K	19,2W/m	2540lm/m	160LED's/m

Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1561	Elus - LED strip Performer series	3500K	4,8W/m	571lm/m	80 LED's/m
2.21.1568	Elus - LED strip Performer series	3500K	7,2W/m	835lm/m	80 LED's/m
2.21.1575	Elus - LED strip Performer series	3500K	9,6W/m	1223lm/m	160LED's/m
2.21.1582	Elus - LED strip Performer series	3500K	11,52W/m	1376lm/m	160LED's/m
2.21.1589	Elus - LED strip Performer series	3500K	14,4W/m	1583lm/m	160LED's/m
2.21.1596	Elus - LED strip Performer series	3500K	19,2W/m	2747lm/m	160LED's/m

Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1560	Elus - LED strip Performer series	3000K	4,8W/m	537lm/m	80 LED's/m
2.21.1567	Elus - LED strip Performer series	3000K	7,2W/m	831lm/m	80 LED's/m
2.21.1574	Elus - LED strip Performer series	3000K	9,6W/m	1067lm/m	160LED's/m
2.21.1581	Elus - LED strip Performer series	3000K	11,52W/m	1247lm/m	160LED's/m
2.21.1588	Elus - LED strip Performer series	3000K	14,4W/m	1545lm/m	160LED's/m
2.21.1595	Elus - LED strip Performer series	3000K	19,2W/m	2695lm/m	160LED's/m

Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1562	Elus - LED strip Performer series	4000K	4,8W/m	565lm/m	80 LED's/m
2.21.1569	Elus - LED strip Performer series	4000K	7,2W/m	835lm/m	80 LED's/m
2.21.1576	Elus - LED strip Performer series	4000K	9,6W/m	1335lm/m	160LED's/m
2.21.1583	Elus - LED strip Performer series	4000K	11,52W/m	1432lm/m	160LED's/m
2.21.1590	Elus - LED strip Performer series	4000K	14,4W/m	1647lm/m	160LED's/m
2.21.1597	Elus - LED strip Performer series	4000K	19,2W/m	2764lm/m	160LED's/m





Trivi

LED strip Designer serie

Product information		Photometrics	
Input voltage	24V	CCT	1800K/2200K/2500K/2700K/3000K/3500K/4000K
Real length	5m	Lumen/m	975lm/m - 1445lm/m
Width	10mm	CRI	CRI>90
Max. connection length	4m	Beam angle	120°
LED/m	266LED's/m		
Power/m	16,42W/m		

Elus - LED strip Performer series CRI>90					
Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1598	Trivi - LED strip Designer series	1800K	16,42W/m	975lm/m	266LED's/m

Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1599	Trivi - LED strip Designer series	2200K	16,42W/m	1167lm/m	266LED's/m

Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1600	Trivi - LED strip Designer series	2500K	16,42W/m	1379lm/m	266LED's/m


Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1601	Trivi - LED strip Designer series	2700K	16,42W/m	1296lm/m	266LED's/m

Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1602	Trivi - LED strip Designer series	3000K	16,42W/m	1413lm/m	266LED's/m

Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1603	Trivi - LED strip Designer series	3500K	16,42W/m	1445lm/m	266LED's/m

Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1604	Trivi - LED strip Designer series	4000K	16,42W/m	1435lm/m	266LED's/m





Rius

LED strip RGBW

Product information		Photometrics	
Input voltage	24V	CCT	2700K 3000K 4000K
Reel lenght	5m 4m	Lumen/meter	550lm/m
Width	10mm 12mm	CRI	CRI>90
Max. connection length	5m 4m	Beam angle	120°
LED/m	84/m		
Power/m	13,44W/m 19,2W/m		
Cuttable length	Cuttable every 6LEDs		
Min. cuttable length	71,5mm		

Rius - LED strip RGBW 13,44W/m					
Article No.	Product name	CCT	CRI	W/m	Lm/m LED's/m
2.21.1638	Rius - LED strip RGBW	2700K	CRI>90	13,44W/m	550lm/m 84led/m


Article No.	Product name	CCT	CRI	W/m	Lm/m LED's/m
2.21.1639	Rius - LED strip RGBW	3000K	CRI>90	13,44W/m	550lm/m 84led/m

Article No.	Product name	CCT	CRI	W/m	Lm/m LED's/m
2.21.1640	Rius - LED strip RGBW	4000K	CRI>90	13,44W/m	550lm/m 84led/m

Rius - LED strip RGBW 19,2W/m					
Article No.	Product name	CCT	CRI	W/m	Lm/m LED's/m
2.21.1641	Rius - LED strip RGBW	2700K	CRI>90	19,2w/m	700lm/m 84/m

Article No.	Product name	CCT	CRI	W/m	Lm/m LED's/m
2.21.1642	Rius - LED strip RGBW	3000K	CRI>90	19,2w/m	700lm/m 84/m

Article No.	Product name	CCT	CRI	W/m	Lm/m LED's/m
2.21.1643	Rius - LED strip RGBW	4000K	CRI>90	19,2w/m	700lm/m 84/m





Nevia

LED strip RGB

Product information		
Input voltage	24V	
Reel lenght	5m	
Width	10mm	
Max. connection length	5m	4m
LED/m	60LED's/m	
Power/m	9W/m	14,4W/m
Cutttable length	Cutttable every 6 LEDs	
Min. cuttable length	10cm	

Photometrics		
CCT	RGB	
Lumen/meter	330lm/m	485lm/m
Beam angle	120 °	

Nevia - LED strip RGB 9W/m					
Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1636	Nevia - LED strip RGB 9W/m	RGB	9W/m	330lm/M	60LED/m

Nevia - LED strip RGB 14,4W/m					
Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1637	Nevia - LED strip RGB 14,4W/m	RGB	14,4W/m	485lm/M	60LED/m





















Lupareel

LED strip basic

Product information		
Input voltage	24V	
Reel lenght	5m	
Width	8mm	
LED/m	60LED's/m	120LED's/m
Power/m	9,6W/m	14,4W/m
Cutttable length	Cutttable every 6 LEDs	
Min. cuttable length	10cm	
Max. connection length	15m	12m

Photometrics			
CRI	>80Ra		
CCT	2700K	3000K	4000K
Lumen/meter	190-230lm/m		400-460lm/m
Beam angle	120 °		

Lupareel - LED strip 4,8W/m					
Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1176	LED strip LupaReel warm white 60LED/m 4.8W/m	2700K	4,8W/m	190lm/M	60LED/m
2.21.1177	LED strip LupaReel warm white 60LED/m 4.8W/m	3000K	4,8W/m	210lm/M	60LED/m
2.21.1178	LED strip LupaReel natural white 60LED/m 4.8W/m	4000K	4,8W/m	230lm/M	60LED/m

Lupareel - LED strip 9,6W/m					
Article No.	Product name	CCT	W/m	Lm/m	LED's/m
2.21.1180	LED strip LupaReel warm white 120LED/m 9.6W/m	2700K	9,6W/m	400lm/M	120LED/m
2.21.1181	LED strip LupaReel warm white 120LED/m 9.6W/m	3000K	9,6W/m	420lm/M	120LED/m
2.21.1182	LED strip LupaReel natural white 120LED/m 9.6W/m	4000K	9,6W/m	460lm/M	120LED/m




















LED Strip Profiles



Alupro LED profile


corner round 16mm

Product name	Alupro LED profile corner 16mm
Color	Aluminum, white and black
Length	2m
Width	16mm
Height	16mm
Max. LED strip power	14,4 W/m



PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.0625	2.01.1310	2.01.1311	Alupro LED profile corner 16mm 2m
2.01.0628	2.01.1316	2.01.1317	Alupro LED profile corner 16mm endcap closed round
2.01.0627	2.01.1314	2.01.1315	Alupro LED profile corner 16mm endcap open round


COVERS AND MOUNTING CLIPS	
Article No.	
2.01.0619	Alupro LED profile corner 16mm cover round PMMA opal 2m
2.01.0620	Alupro LED profile corner 16mm cover round PMMA matt 2m
2.01.0626	Alupro LED profile corner 16mm mounting clip round and square



Alupro LED profile



corner round 30mm

Product name	Alupro LED profile corner 30mm
Color	Aluminum, white and black
Length	2m
Width	30mm
Height	30mm
Max. LED strip power	28,8 W/m



PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.0637	2.01.1312	2.01.1313	Alupro LED profile corner 30mm 2m
2.01.0640	2.01.1324	2.01.1325	Alupro LED profile corner 30mm endcap closed round
2.01.0639	2.01.1322	2.01.1323	Alupro LED profile corner 30mm endcap open round

COVERS AND MOUNTING CLIPS	
Article No.	
2.01.0631	Alupro LED profile corner 30mm cover round PMMA opal 2m
2.01.0632	Alupro LED profile corner 30mm cover round PMMA matt 2m
2.01.0633	Alupro LED profile corner 30mm cover round PMMA transparent 2m




Alupro LED profile


corner square 16mm

Product name	Alupro LED profile corner 16mm
Color	Aluminum, white and black
Length	2m
Width	16mm
Height	16mm
Max. LED strip power	14,4 W/m

PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.0625	2.01.1310	2.01.1311	Alupro LED profile corner 16mm 2m
2.01.0630	2.01.1320	2.01.1321	Alupro LED profile corner 16mm endcap closed square
2.01.0629	2.01.1318	2.01.1319	Alupro LED profile corner 16mm endcap open square



COVERS AND MOUNTING CLIPS	
Article No.	
2.01.0622	Alupro LED profile corner 16mm cover square PMMA opal 2m
2.01.0623	Alupro LED profile corner 16mm cover square PMMA matt 2m
2.01.0626	Alupro LED profile corner 16mm mounting clip round and square




Alupro LED profile

corner square 30mm

Product name	Alupro LED profile corner 30mm
Color	Aluminum, white and black
Length	2m
Width	30mm
Height	30mm
Max. LED strip power	28,8 W/m

PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.0637	2.01.1312	2.01.1313	Alupro LED profile corner 30mm 2m
2.01.0642	2.01.1328	2.01.1329	Alupro LED profile corner 30mm endcap closed square
2.01.0641	2.01.1326	2.01.1327	Alupro LED profile corner 30mm endcap open square




COVERS AND MOUNTING CLIPS	
Article No.	
2.01.0634	Alupro LED profile corner 30mm cover square PMMA opal 2m
2.01.0635	Alupro LED profile corner 30mm cover square PMMA matt 2m
2.01.0636	Alupro LED profile corner 30mm cover square PMMA transparent 2m

Alupro LED profile


click cover round

Product name	Alupro LED profile click cover round
Color	Aluminum
Length	2m
Width	20,2mm
Height	19,7mm
Max. LED strip power	28,8 W/m



PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.0650	-	-	Alupro LED profile click cover round 2m
2.01.0652	-	-	Alupro LED profile click cover round endcap closed round
2.01.0651	-	-	Alupro LED profile click cover round endcap open Round


COVERS AND MOUNTING CLIPS	
Article No.	
2.01.0643	Alupro LED profile click cover round PMMA opal 2m
2.01.0644	Alupro LED profile click cover round PMMA matt 2m
2.01.0645	Alupro LED profile click cover round PMMA transparent 2m



Alupro LED profile



click cover PMMA lens 60°

Product name	Alupro LED profile click cover PMMA lens 60°
Color	Aluminum
Length	2m
Width	19,7mm
Height	16,2mm
Max. LED strip power	28,8 W/m



PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.0650	-	-	Alupro LED profile click cover round 2m
2.01.0656	-	-	Alupro LED profile click cover PMMA lens 60° endcap closed
2.01.0655	-	-	Alupro LED profile click cover PMMA lens 60° endcap open

COVERS AND MOUNTING CLIPS	
Article No.	
2.01.0649	Alupro LED profile click cover PMMA lens 60° transparent 2m




Alupro LED profile

click cover square

Product name	Alupro LED profile click cover square
Color	Aluminum
Length	2m
Width	16,9mm
Height	20,2mm
Max. LED strip power	28,8 W/m

PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.0650	-	-	Alupro LED profile click cover square 2m
2.01.0654	-	-	Alupro LED profile click cover square 30mm endcap closed square
2.01.0653	-	-	Alupro LED profile click cover square 30mm endcap open square

COVERS AND MOUNTING CLIPS	
Article No.	
2.01.0646	Alupro LED profile click cover square PMMA opal 2m
2.01.0647	Alupro LED profile click cover square PMMA matt 2m
2.01.0648	Alupro LED profile click cover square PMMA transparent 2m




Alupro LED profile

wide recessed

Product name	Alupro LED profile wide recessed
Color	Aluminum
Length	2m
Width	23mm
Height	10mm
Max. LED strip power	28,8 W/m

PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.0659	-	-	Alupro LED profile wide recessed 2m
2.01.0662	-	-	Alupro LED profile wide recessed endcap closed
2.01.0661	-	-	Alupro LED profile wide recessed endcap open


COVERS AND MOUNTING CLIPS	
Article No.	
2.01.0657	Alupro LED profile wide recessed PMMA opal 2m
2.01.0658	Alupro LED profile wide recessed PMMA transparent 2m



Alupro LED profile



wide surface mounted

Product name	Alupro LED profile wide surface mounted
Color	Aluminum, white and black
Length	2m
Width	23mm
Height	10mm
Max. LED strip power	28,8 W/m



PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.0660	2.01.1338	2.01.1339	Alupro LED profile wide surface mounted 2m
2.01.0664	2.01.1340	2.01.1341	Alupro LED profile wide surface mounted endcap closed
2.01.0665	2.01.1342	2.01.1343	Alupro LED profile wide surface mounted endcap open

COVERS AND MOUNTING CLIPS	
Article No.	
2.01.0657	Alupro LED profile wide surface mounted PMMA opal 2m
2.01.0658	Alupro LED profile wide surface mounted PMMA transparent 2m
2.01.0663	Alupro LED profile wide surface mounted mounting clip




Alupro LED profile

XL recessed

Product name	Alupro LED profile XL recessed
Color	Aluminum
Length	2m
Width	35mm
Height	34,8mm
Max. LED strip power	28,8 W/m

PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.0669	-	-	Alupro LED profile XL recessed aluminum 2m
2.01.0672	-	-	Alupro LED profile XL recessed endcap closed for profile 2m
2.01.0671	-	-	Alupro LED profile XL recessed endcap open for profile 2m




COVERS AND MOUNTING CLIPS	
Article No.	
2.01.0666	Alupro LED profile XL cover PMMA opal 2m
2.01.0667	Alupro LED profile XL cover PMMA matt 2m
2.01.0668	Alupro LED profile XL cover PMMA transparent 2m
2.01.0745	Alupro LED profile XL recessed mounting clip for profile 2m

Alupro LED profile



XL surface mounted

Product name	Alupro LED profile XL surface mounted
Color	Aluminum
Length	2m
Width	35mm
Height	34,8mm
Max. LED strip power	28,8 W/m



PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.0670	-	-	Alupro LED profile XL surface mounted 2m
2.01.0674	-	-	Alupro LED profile XL surface mounted endcap closed for profile 2m
2.01.0673	-	-	Alupro LED profile XL surface mounted endcap open for profile 2m

COVERS AND MOUNTING CLIPS	
Article No.	
2.01.0666	Alupro LED profile XL surface mounted cover PMMA opal 2m
2.01.0667	Alupro LED profile XL surface mounted cover PMMA matt 2m
2.01.0668	Alupro LED profile XL surface mounted cover PMMA transparent 2m




Alupro LED profile

Plus Plaster W

Product name	Alupro LED profile Plus Plaster W
Color	Aluminum
Length	2m
Width	61,5mm
Height	14mm
Max. LED strip power	24 W/m

PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.1018	-	-	Alupro LED profile Plus Plaster W + cover PC opal Trimless 2m
2.01.1019	-	-	Alupro LED profile Plus Plaster W endcap (2 pieces, 1 open, 1 closed) for profile Trimless




COVERS AND MOUNTING CLIPS	
Article No.	
2.01.1270	Alupro LED profile Plus Plaster W cover PC opal 2m



Alupro LED profile



Plus Plaster S



Product name	Alupro LED profile Plus Plaster S
Color	Aluminum
Length	2m
Width	52,1mm
Height	13,3mm
Max. LED strip power	9,6 W/m

PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.1016	-	-	Alupro LED profile Plus Plaster S + cover PC opal Trimless 2m
2.01.1017	-	-	Alupro LED profile Plus Plaster S endcap (2 pieces, 1 open, 1 closed) for profile Trimless

COVERS AND MOUNTING CLIPS	
Article No.	
2.01.1269	Alupro LED profile Plus Plaster S cover PC opal 2m




Alupro LED profile

Stairs R Plus

Product name	Alupro LED profile Stairs R Plus
Color	Black
Length	2m
Width	65mm
Height	27,5mm
Max. LED strip power	14,4 W/m


PROFILES AND ENDCAPS			
Aluminum	White	Black	
-	-	2.01.1020	Alupro LED profile Stairs R Plus + cover PC opal surface mounted 2m
-	-	2.01.1021	Alupro LED profile Stairs R Plus endcap (2 pieces, 1 open, 1 closed) for profile surface mounted





Alupro LED profile

XLC Plus

Product name	Alupro LED profile XLC Plus
Color	Aluminum
Length	2m
Width	30mm
Height	32mm
Max. LED strip power	24 W/m



PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.1022	-	-	Alupro LED profile XLC Plus + cover PC opal surface mounted 2,5m
2.01.1023	-	-	Alupro LED profile XLC Plus endcap closed (2 pieces) for profile surface mounted




Alupro LED profile

XLM Plus

Product name	Alupro LED profile XLM Plus
Color	Aluminum
Length	2,5m
Width	75mm
Height	87mm
Max. LED strip power	42 W/m

PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.1028	-	-	Alupro LED profile XLM Plus + cover PC opal surface mounted 2,5m incl. fall protection
2.01.1029	-	-	Alupro LED profile XLM Plus endcapdie-cast closed (2 pieces) for profile surface mounted




COVERS AND MOUNTING CLIPS	
Article No.	
2.01.1030	Alupro LED profile XLM Plus mounting clip for profile surface mounted 2,5m and pendant extension rod
2.01.1041	Suspension set for Alupro Plus XLH,XLM,XLS,XLW LED

Alupro LED profile



XLR Plus

Product name	Alupro LED profile XLR Plus
Color	Aluminum
Length	2m
Width	50mm
Height	35mm
Max. LED strip power	28,8 W/m



PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.1031	-	-	Alupro LED profile XLR Plus + cover PC opal recessed 2m
2.01.1032	-	-	Alupro LED profile XLR Plus endcap closed (2 pieces) for profile recessed

COVERS AND MOUNTING CLIPS	
Article No.	
2.01.1033	Alupro LED profile XLR/XLR Plus Connection clip (2 pieces)
2.01.1034	Alupro LED profile XLR Plus spring for profile recessed 2m




Alupro LED profile

XLH Plus

Product name	Alupro LED profile corner XLH Plus
Color	Aluminum, white and black
Length	2,5m
Width	50mm
Height	75mm
Max. LED strip power	28,8 W/m

PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.1024	2.01.1330	2.01.1331	Alupro LED profile XLH Plus + cover PC opal surface mounted 2,5m incl. fall protection
2.01.1025	2.01.1333	2.01.1332	Alupro LED profile XLH Plus endcap die-cast, closed (2 pieces) for profile surface mounted




COVERS AND MOUNTING CLIPS	
Article No.	
2.01.1026	Alupro LED profile XLH Plus mounting clip for profile surface mounted 2,5m and pendant extension rod
2.01.1027	Alupro LED profile XLH Plus Connection clip (2 pieces)
2.01.1041	Suspension set for Alupro Plus XLH,XLM,XLS,XLW LED

Alupro LED profile



XLS Plus

Product name	Alupro LED profile XLS Plus
Color	Aluminum, white and black
Length	2m
Width	35mm
Height	35mm
Max. LED strip power	28,8 W/m



PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.1035	2.01.1334	2.01.1335	Alupro LED profile XLS Plus + cover PC opal surface mounted 2m
2.01.1036	2.01.1336	2.01.1337	Alupro LED profile XLS Plus endcap aluminum closed (2 pieces) for profile surface mounted

COVERS AND MOUNTING CLIPS	
Article No.	
2.01.1033	Alupro LED profile XLR/XLS Plus connection clip (2 pieces)
2.01.1037	Alupro LED profile XLS Plus mounting clip for profile surface mounted 2m and pendant extension rod
2.01.1041	Suspension set for Alupro XLH,XLM,XLS,XLW LED Plus




Alupro LED profile

curve surface mounted 8mm

Product name	Alupro LED profile curve surface mounted 8mm
Color	Aluminum, white and black
Length	2m
Width	17,2mm
Height	8mm
Max. LED strip power	14,4 W/m

PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.0609	2.01.1295	2.01.1294	Alupro LED profile curve aluminum 2m surface mounted 8mm
2.01.0615	2.01.1302	2.01.1303	Alupro LED profile curve endcap closed for profile 2m surface mounted 8mm
2.01.0614	2.01.1306	2.01.1307	Alupro LED profile curve endcap open for profile 2m surface mounted 8mm




COVERS AND MOUNTING CLIPS	
Article No.	
2.01.0607	Alupro LED profile curve cover PMMA lens 60° 2m
2.01.0605	Alupro LED profile curve cover PMMA matt 2m
2.01.0604	Alupro LED profile curve cover PMMA opal 2m
2.01.0606	Alupro LED profile curve cover PMMA transparent 2m
2.01.0613	Alupro LED profile curve mounting clip for profile 2m surface mounted 8mm & 15mm

Alupro LED profile



curve recessed 8 mm

Product name	Alupro LED profile curve recessed 8mm
Color	Aluminum, white and black
Length	2m
Width	23,3mm
Height	8mm
Max. LED strip power	14,4 W/m



PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.0608	2.01.1290	2.01.1291	Alupro LED profile curve aluminum 2m recessed 8mm
2.01.0612	2.01.1299	2.01.1298	Alupro LED profile curve endcap closed for profile 2m recessed 8mm
2.01.0614	2.01.1306	2.01.1307	Alupro LED profile curve endcap open for profile 2m surface mounted 8mm

COVERS AND MOUNTING CLIPS	
Article No.	
2.01.0607	Alupro LED profile curve cover PMMA lens 60° 2m
2.01.0605	Alupro LED profile curve cover PMMA matt 2m
2.01.0604	Alupro LED profile curve cover PMMA opal 2m
2.01.0606	Alupro LED profile curve cover PMMA transparent 2m




Alupro LED profile

curve surface mounted 15mm

Product name	Alupro LED profile curve surface mounted 8mm
Color	Aluminum, white and black
Length	2m
Width	17,2mm
Height	15,3mm
Max. LED strip power	14,4 W/m

PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.0611	2.01.1296	2.01.1297	Alupro LED profile curve aluminum 2m surface mounted 15mm
2.01.0618	2.01.1304	2.01.1305	Alupro LED profile curve endcap closed for profile 2m surface mounted 15mm
2.01.0617	2.01.1308	2.01.1309	Alupro LED profile curve endcap open for profile 2m surface mounted 15mm




COVERS AND MOUNTING CLIPS	
Article No.	
2.01.0607	Alupro LED profile curve cover PMMA lens 60° 2m
2.01.0605	Alupro LED profile curve cover PMMA matt 2m
2.01.0604	Alupro LED profile curve cover PMMA opal 2m
2.01.0606	Alupro LED profile curve cover PMMA transparent 2m
2.01.0613	Alupro LED profile curve mounting clip for profile 2m surface mounted 8mm & 15mm

Alupro LED profile


curve recessed 15 mm

Product name	Alupro LED profile curve recessed 15mm
Color	Aluminum, white and black
Length	2m
Width	23,3mm
Height	15,3mm
Max. LED strip power	14,4 W/m



PROFILES AND ENDCAPS			
Aluminum	White	Black	
2.01.0610	2.01.1292	2.01.1293	Alupro LED profile curve aluminum 2m recessed 15mm
2.01.0616	2.01.1300	2.01.1301	Alupro LED profile curve endcap closed for profile 2m recessed 15mm
2.01.0617	2.01.1308	2.01.1309	Alupro LED profile curve endcap open for profile 2m surface mounted 15mm


COVERS AND MOUNTING CLIPS	
Article No.	
2.01.0607	Alupro LED profile curve cover PMMA lens 60° 2m
2.01.0605	Alupro LED profile curve cover PMMA matt 2m
2.01.0604	Alupro LED profile curve cover PMMA opal 2m
2.01.0606	Alupro LED profile curve cover PMMA transparent 2m



Alupro Round V2


Pendant 40mm

Product name	Alupro LED profile round V2 Pendant 40mm
Color	Aluminum
Length	2m
Diameter	40mm
Max. LED strip power	30 W/m



PROFILES AND ENDCAPS	
Article No.	
2.01.1414	Alupro Round V2 LED 40mm profiel aluminium 2m incl. opaal afscherming pc
2.01.1415	Alupro Round V2 LED 40mm eindkap gesloten
2.01.1416	Alupro Round V2 LED 40mm montageclip


COVERS AND MOUNTING CLIPS	
Article No.	
2.01.1423	Pendelset voor Alupro Round V2 LED 2,5m
2.01.1449	Koppelstuk aluminium Alupro Round V2 LED



Alupro Round V2

Pendant 60 mm

Product name	Alupro Round V2 Pendant 60mm
Color	Aluminum
Length	2m
Diameter	60mm
Max. LED strip power	60 W/m



PROFILES AND ENDCAPS	
Article No.	
2.01.1417	Alupro Round V2 LED 60mm profiel aluminium 2m
2.01.1418	Alupro Round V2 LED 60mm eindkap gesloten
2.01.1419	Alupro Round V2 LED 60mm montageclip


COVERS AND MOUNTING CLIPS	
Article No.	
2.01.1423	Pendelset voor Alupro Round V2 LED 2,5m
2.01.1449	Koppelstuk aluminium Alupro Round V2 LED



Alupro Round V2


Pendant 100mm

Product name	Alupro round V2 pendant 100mm
Color	Aluminum
Length	2m
Diameter	100mm
Max. LED strip power	50 W/m



PROFILES AND ENDCAPS	
Article No.	
2.01.1420	Alupro Round V2 LED 100mm profiel aluminium 2m incl. afscherming PC opaal
2.01.1421	Alupro Round V2 LED 100mm eindkap gesloten
2.01.1422	Alupro Round V2 LED 100mm montageclip

COVERS AND MOUNTING CLIPS	
Article No.	
2.01.0607	Alupro LED profile curve cover PMMA lens 60° 2m
2.01.0605	Alupro LED profile curve cover PMMA matt 2m





Drivers & Controls

On-off drivers

Constant voltage

Input Voltage	230V AC
Output Voltage	24V
Output Current	-
Output Power	60-320W
Power Factor	>0,9
Cooling	Passive
LED Connection	Parallel connection



PROFILES AND ENDCAPS								
Article No.		Power	Voltage	Power factor	IP value	Length	Width	Height
3.10.0284	LED Driver CV Idis LPV	35W	24V	>0,9	IP67	148mm	40mm	30mm
3.10.0304	LED Driver CV Idis LPV	60W	24V	>0,9	IP67	162,5mm	42,5mm	32mm
3.10.0305	LED Driver CV Idis LPV	100W	24V	>0,9	IP67	190mm	52mm	37mm
3.10.0505	LED Driver CV Idis LPV	150W	24V	>0,9	IP67	191mm	63mm	37,5mm
3.01.0296	LED Driver CV Idis	240W	24V	>0,9	IP65	244mm	71mm	37,5mm
3.10.0454	LED Driver CV Idis HLG	320W	24V	>0,9	IP67	252mm	90mm	43,8mm
3.10.0792	LED Driver CV Talexx LCA linear	35W	24V	>0,9	IP20	230mm	30mm	21mm
3.10.0793	LED Driver CV Talexx LCA linear	60W	24V	>0,9	IP20	280mm	30mm	21mm
3.10.0794	LED Driver CV Talexx LCA linear	100W	24V	>0,9	IP20	360mm	30mm	21mm
3.10.0127	LED Driver PDV24	19W	24V	>0,96	IP20	138mm	40mm	28,5mm
3.10.0163	LED Driver FB30	30W	24V	>0,96	IP20	117mm	75mm	20mm
3.10.0165	LED Driver DC MD60	60W	24V	>0,96	IP20	206mm	51mm	36mm
3.10.0206	LED Driver DC MD70	70W	24V	>0,96	IP20	206mm	51mm	36mm
3.10.0587	LED Driver CV Powerbox Maxi DC	100W	24V	>0,96	IP20	207mm	76mm	35mm
3.10.0323	LED Driver CV Powerbox Maxi DC	150W	24V	>0,96	IP20	207mm	76mm	35mm



Primair dimbaar

Constant voltage

Input Voltage	230V AC
Output Voltage	24V
Output Current	-
Output Power	60-320W
Power Factor	>0,9
Cooling	Passive
LED Connection	Parallel connection
Dimmable with	Phase cut dimmer

PROFILES AND ENDCAPS								
Article No.		Power	Voltage	Power factor	IP value	Length	Width	Height
3.10.0797	LED Driver 24V DC 30W MDE60 primair dimbaar	30W	24V	0,96	IP20	165mm	41mm	38mm
3.10.0748	LED Driver 24V DC 60W MDE60 primair dimbaar	60W	24V	0,96	IP20	206mm	51mm	36mm



DALI drivers

Constant voltage

Input Voltage	230V AC
Output Voltage	24V
Output Current	-
Output Power	60-320W
Power Factor	>0,9
Cooling	Passive
LED Connection	Parallel connection
Dimmable with	DALI

PROFILES AND ENDCAPS								
Article No.		Power	Voltage	Power factor	IP value	Length	Width	Height
3.10.0527	DALI/0-10V/1-10V/Push Dim Interface 12/24V	0W	12/24V	0,96	IP20	138mm	40mm	28,5mm
3.10.0803	LED Driver CV PT box	30W	24V	0,96	IP20	164mm	41mm	35mm
3.10.0533	LED Driver CV Powerbox	100W	24V	0,96	IP20	207mm	76mm	35mm
3.10.0801	LED Driver CV Powerbox	150W	24V	0,96	IP20	207mm	76mm	35mm
3.10.0802	LED Driver CV Powerbox	200W	24V	0,96	IP20	207mm	76mm	35mm
3.10.0804	LED Driver CV Tunable White 2 kanaals	100W	24V	0,96	IP20	207mm	76mm	35mm
3.10.0733	LED Driver CV Idis ELG	75W	24V	0,95	IP67	180mm	63mm	35,5mm
3.10.0796	LED Driver CV Idis ELG	100W	24V	0,95	IP67	199mm	63mm	35,5mm
3.10.0542	LED Driver CV Idis ELG	150W	24V	0,95	IP67	219mm	35,5mm	63mm
3.10.0543	LED Driver CV Idis ELG	240W	24V	0,95	IP67	244mm	71mm	37,5mm

Casambi

Constant voltage

Input Voltage	230V AC
Output Voltage	24V
Output Current	-
Output Power	60-320W
Power Factor	>0,9
Cooling	Passive
LED Connection	Parallel connection



PROFILES AND ENDCAPS								
Article No.		Power	Voltage	Power factor	IP value	Length	Width	Height
3.10.0806	Casambi module	0W	12/24V	0,93	IP20	56mm	22mm	36mm
3.10.0807	TW en RGB(W) casambi module	0W	12/24V	0,93	IP20	73mm	18mm	30mm
3.10.0808	LED Driver CV RGBOX RGB+W Casambi	100W	24V	0,96	IP20	207mm	76mm	35mm
3.10.0804	Led driver DC VSTR CASAMBI - RGB CASAMBI	100W	24V	0,9	IP20	207mm	76mm	35mm

1-10V

Constant voltage

Input Voltage	230V AC
Output Voltage	24V
Output Current	-
Output Power	60-320W
Power Factor	>0,9
Cooling	Passive
LED Connection	Parallel connection



PROFILES AND ENDCAPS								
Article No.		Power	Voltage	Power factor	IP value	Length	Width	Height
3.10.0527	DALI/0-10V/1-10V/Push Dim Interface	0W	12/24V	0,93	IP20	138mm	40mm	28,5mm
3.10.0798	LED Driver MDR45	45W	24V	0,96	IP20	206mm	51mm	36mm
3.10.0233	LED Driver MDR60	60W	24V	0,96	IP20	206mm	51mm	36mm
3.10.0533	LED Driver CV Powerbox	100W	24V	0,96	IP20	207mm	76mm	35mm
3.10.0799	LED Driver CV Powerbox	150W	24V	0,96	IP20	207mm	76mm	35mm
3.10.0799	LED Driver CV MDV	200W	24V	0,96	IP20	207mm	76mm	35mm
3.10.0507	LED Driver CV Idis ELG	100W	24V	0,96	IP67	199mm	63mm	35mm
3.10.0508	LED Driver CV Idis HLG	240W	24V	0,96	IP67	244mm	71mm	37mm



RF single color/RGB

Constant voltage

Input Voltage	12-36V DC
Output Voltage	12-36V DC
Output Current	-
Output Power	480W
Power Factor	>0,9
Cooling	Passive
LED Connection	Parallel Connection
Dimmable with	RF

PROFILES AND ENDCAPS								
Article No.			Length	Width	Height			
3.10.0422	ModuLED Control, RF 12/24V 4 kanaals controller		46mm	178mm	18mm			
3.10.0423	Afstand bediening RF ModuLED DIM Control 5 zones incl. batterij		136,3mm	38,9mm	10,7mm			
3.10.0424	Afstand bediening RF ModuLED RGB Control 8 zones excl. batterij		131,4mm	43,8mm	24,3mm			
3.10.0425	Draai wandbediening RF ModuLED DIM Control 1 zone		86mm	86mm	29,1mm			
3.10.0427	Tast wandbediening RF ModuLED DIM Control 1 zone		86mm	86mm	41mm			
3.10.0428	Tast wandbediening RF ModuLED RGB Control 1 zone		86mm	86mm	41mm			
3.10.0810	Afstand bediening RF slide ModuLED Control 1 zone incl. batterij		141mm	35mm	141mm			
3.10.0811	Afstand bediening RF slide ModuLED Control 1 zone Tunable White incl. batterij		141mm	35mm	141mm			
3.10.0812	Afstand bediening RF ModuLED Control 4 zone Tunable White incl. batterij		120mm	55mm	120mm			
3.10.0809	Tast wandbediening RF ModuLED DIM CCT Control		86mm	86mm	29,1mm			

Mastering the needs of Combinations

We like to make it easier for you to find the right LED strip for your project. In this combination chart, you can find the compatible LED profiles for each LED strip. Orange boxes indicate that the profile is compatible with the LED strip. A grey box means that the LED strip has a too high wattage per meter to be used in the chosen profile.

Profile

Ledstrip

easier for you to find the right LED strip for
 profiles for each LED strip. Orange boxes
 profile is compatible with the LED strip. A
 hat the LED strip has a too high wattage per
 in the chosen profile.

Ledstrip

			Larid		Pluviam		Extro			Aves	Elus					Trivi	Rius		Nevia		Lupareel		
			17,28 W/m		4,8 W/m	14,4 W/m	7,2 W/m	14,4 W/m	20,2 W/m	11,52 W/m	4,8 W/m	7,2 W/m	9,6 W/m	11,52 W/m	14,4 W/m	19,2 W/m	16,42 W/m	13,44 W/m	19,2 W/m	9 W/m	14,4 W/m	4,8 W/m	9,6 W/m
Surface mounted	Alupro LED profile Plus Plaster S	Max. LED strip power 9,6 W/m																					
	Alupro LED profile curve recessed 8 mm	Max. LED strip power 14,4 W/m																					
	Alupro LED profile curve recessed 15 mm	Max. LED strip power 14,4 W/m																					
	Alupro LED profile Plus Plaster W	Max. LED strip power 24 W/m																					
	Alupro LED profile XLR Plus	Max. LED strip power 28,8 W/m																					
	Alupro LED profile XL recessed	Max. LED strip power 28,8 W/m																					
	Alupro LED profile wide recessed	Max. LED strip power 28,8 W/m																					
Recessed	Alupro LED profile curve surface mounted 8mm	Max. LED strip power 14,4 W/m																					
	Alupro LED profile curve surface mounted 15mm	Max. LED strip power 14,4 W/m																					
	Alupro-LED-profiel (Alupro original)	Max. LED strip power 14,4 W/m																					
	Alupro LED profile Stairs R Plus	Max. LED strip power 14,4 W/m																					
	Alupro LED profile corner square 16mm	Max. LED strip power 14,4 W/m																					
	Alupro LED profile corner round 16mm	Max. LED strip power 14,4 W/m																					
	Alupro LED profile XLC Plus	Max. LED strip power 24 W/m																					
	Alupro Plus XLW	Max. LED strip power 28 W/m																					
	Alupro LED profile XLH Plus	Max. LED strip power 28,8 W/m																					
	Alupro LED profile XLS Plus	Max. LED strip power 28,8 W/m																					
	Alupro LED profile wide surface mounted	Max. LED strip power 28,8 W/m																					
	Alupro LED profile XL surface mounted	Max. LED strip power 28,8 W/m																					
	Alupro LED profile corner square 30mm	Max. LED strip power 28,8 W/m																					
	Alupro LED profile corner round 30mm	Max. LED strip power 28,8 W/m																					
	Alupro LED profile click cover round	Max. LED strip power 28,8 W/m																					
	Alupro LED profile click cover square	Max. LED strip power 28,8 W/m																					
	Alupro LED profile click cover PMMA lens 60°	Max. LED strip power 28,8 W/m																					
	Alupro LED profile XLM Plus	Max. LED strip power 42 W/m																					
Pendant	Alupro Round Pendant 40mm	Max. LED strip power 30 W/m																					
	Alupro Round Pendant 60mm	Max. LED strip power 50 W/m																					
	Alupro Round Pendant 100mm	Max. LED strip power 60 W/m																					

Nijverheidsweg 2
2421 LR Nieuwkoop
The Netherlands
+31 (0)172 574 500
info@lumiparts.com
www.lumiparts.com

Lumiparts
Linear LED

Light our socials!

